

# PrestaShop

## PrestaShop

1.5.4, PrestaShop .

?

[PrestaShop](#), `zip`, PrestaShop (CLI). (CLI) : Bash, Windows PowerShell, OS X Terminal, PuTTY .

CLI- , , , .

?

CLI- . (install-dev), :

```
$ php index_cli.php
```

```
fram@ps-fram /var/www/ps.ici
└─$ php install-dev/index_cli.php
Arguments available:
--step                (Default: process)
--language            language iso code          (Default: en)
--timezone            (Default: Europe/Paris)
--domain              (Default: localhost)
--db_server           (Default: localhost)
--db_user             (Default: root)
--db_password         (Default: )
--db_name             (Default: prestashop)
--db_clear            Drop existing tables      (Default: 1)
--prefix              (Default: ps_)
--engine              InnoDB/MyISAM          (Default: InnoDB)
--name                (Default: PrestaShop)
--activity            (Default: 0)
--country             (Default: fr)
--firstname           (Default: John)
--lastname            (Default: Doe)
--password            (Default: 0123456789)
--email              (Default: pub@prestashop.com)
--license             show PrestaShop license (Default: 0)
--newsletter          get news from PrestaShop   (Default: 1)
```

, . , back-office PrestaShop ., e-mail -, back-office.

, , , .

- domain, , .
- db\_server. .
- db\_name, .
- db\_user. .
- db\_password. .

:

```
$ php install_cli.php --domain=example.com --db_server=sql.example.com --db_name=prestashop --db_user=root --db_password=123456789
```

```
fram@ps-fram /var/www/ps.ici  
$ php install-dev/index_cli.php --domain=ps.ici --db_name=ps.ici  
--db_user=root --db_password=123456789  
-- Installation successfull! --
```

-- email, e-mail recap- .