

Installing PrestaShop


Cette page existe aussi en français 

Table of content

- [Installing PrestaShop](#)
 - [Quick instructions](#)
 - [Detailed instructions](#)
 - [Downloading and unzipping the PrestaShop archive](#)
 - [Uploading PrestaShop](#)
 - [Creating a database for your shop](#)
 - [Launching the auto-installer](#)
 - [Completing the installation](#)

This chapter is targeted at those who want to install PrestaShop on an online hosting space. If you wish to install PrestaShop on your computer in order to test it first, you should follow the instructions at the bottom of the "What you need to get started" chapter, in the "Installing PrestaShop on your computer".

Go to <http://doc.prestashop.com/display/PS15>

[/What+you+need+to+get+started#Whatyouneedtogetstarted-InstallingPrestaShoponyourcomputer](#) for more information

Installing PrestaShop

PrestaShop is very easy to install. Once all the files are on your web server, you should be able to start configuring your shop in no less than 5 minutes in most cases: the installation process is very simple, as the installer takes care of everything for you. Less experienced users might need between 10 and 20 minutes to complete the whole process.

Before you get started, make sure you have all the requirements available: server space at a hosting provider, domain name, FTP client, text editor. Makes sure to follow the instructions in the "What you need to get started" page first: <http://doc.prestashop.com/display/PS15> [/What+you+need+to+get+started](#).

Our official web hosting partner 1&1 offer a 1-click install in order to save you time and get you started even faster. Using these can drastically reduce the installation time for inexperienced users.

- [1&1 Hosting](#)

Those web-hosts mostly use the following script libraries:

- SimpleScripts : https://www.simplescripts.com/script_details/install:PrestaShop,
- Installatron : <http://installatron.com/apps?locale=en#cmd=browser&display=prestashop>,
- Softaculous : <http://www.softaculous.com/apps/ecommerce/PrestaShop>.

Some of these scripts even support 1-click update, which is invaluable.

Other hosts have their own installation scripts. Check with your own host for more information.

Last but not least, PrestaShop has its own hosting solution: by registering on PrestaBox, you offload all the technical hurdles of hosting to our own team, and can focus on your shop, clients and sales. Visit <https://www.prestabox.com/> for more information.

Quick instructions

This small section is aimed at those who are already familiar with installing PHP/MySQL web applications on a web server. Should you not feel comfortable with their lack of details, you will find detailed instructions in the sections following this one.


1. Download the PrestaShop archive and unzip it on your computer.
2. Create a database for PrestaShop on your server.
3. Using an FTP client, upload all the files from the unzipped archive to your web server, in the desired location:
 - If you want to integrate PrestaShop into the root of your domain (e.g. <http://myownshop.com/>), upload all the files into the root directory of your web server.
 - If you want to have PrestaShop in its own subdirectory on your web site (e.g. <http://mywebsite.com/shop/> or <http://shop.mywebsite.com/>), create the shop directory/sub-domain on your server and upload all the files into that directory.
4. Open the files' location in your browser; you should be redirected to the `/install/` folder.
5. Using your MySQL access codes, follow the instructions from the installer's screens.
6. Once installed, delete the `/install/` folder and rename the `/admin/` folder into something unique to you (for instance, `/4dm1n/`) – if PrestaShop hasn't already done it automatically.
7. Check that everything works:
 - Visit your website
 - Connect to your back-office (the admin folder that you renamed), using the access codes you set during the installation process.

You're done! Start adding product, changing theme, downloading modules...

Detailed instructions

Downloading and unzipping the PrestaShop archive




You can download the latest version of PrestaShop at <http://www.prestashop.com/en/download>.



PrestaShop: Always FREE!

Current Version is PrestaShop v1.5.4
Released on Mar 26, 2013. [Changelog](#)

PrestaShop is a secure and fully customizable
Open-source e-commerce software.

DOWNLOAD NOW
16 MB • Free & Open Source

By clicking Download, I agree to the [Open Software License Agreement](#).

You only have one choice: the latest stable version, ready for all websites.

If you need to download any of the previous versions, go to this address: <http://www.prestashop.com/en/developers-versions>. Scroll down to the "Previously released versions" section.

Note that it is never recommended to use any other version than the current stable one.

Click on the "Download now" button, and save the archive on your computer (such as on your Desktop). You should get a file named "prestashop_1.5.4.zip" (or an equivalent, depending on the version numbers).

The downloaded file is a Zip archive, meaning one file containing all of PrestaShop's files in compressed form. In order to continue with the process, **you must uncompress the archive.**

If your operating system does not natively support Zip files, you can download and install a dedicated tool, such as:

- Windows:
 - 7-zip: <http://www.7-zip.org/> (free)
 - WinZip: <http://www.winzip.com/win/en/index.htm> (30-day trial)
 - WinRAR: <http://www.rarlab.com/> (30-day trial).
- Mac OS X:
 - iZip: <http://www.izip.com/> (free)
 - WinZip Mac: <http://www.winzip.com/mac/> (30-day trial)
 - Zipeg: <http://www.zipeg.com/> (free)

Using a Zip tool, extract the content of the archive to a known location on your hard-drive (such as on the Desktop again). **Do not upload the Zip file directly to your server.**

Since version 1.5.4, the Zip archive has two items at its root:



- The "prestashop" folder, which contains the PrestaShop files that you are about to upload to your web server.
- The "Install_PrestaShop.html" file, which opens the current "Installing PrestaShop" page in your default web browser.

The HTML files should not be uploaded on your web server.


Uploading PrestaShop

You should now have a hosting space at your disposal (if not, read the "What you need to get started" chapter of this guide), and a folder on your hard-drive with the uncompressed PrestaShop archive.

This step makes you upload the PrestaShop files on your hosting space. This is done by connecting your computer to your server using a tool known as a "FTP client", which you should have installed while reading the "What you need to get started" chapter. We will be using the free FileZilla (<http://filezilla-project.org/>).

Connect to your hosting space using your FTP client, by using the connection details provided by your web host (if not, contact your host). Once connected, it is time to transfer the PrestaShop files from your computer to your server.


In FileZilla (or any other FTP client), browse your local folders until you find the one that contains the PrestaShop files. Keep it open in the "Local site" section on the left.



In the "Remote site" section (on the right), browse to the location where you want PrestaShop to be publicly available (root of the domain, sub-folder, sub-domain...). This can change a lot, depending on both your host and your needs:

- Your host:
 - Some hosts may require you to place your files in a specific folder, such as /htdocs, /public_html, /web, /www, /yourdomainname.com, etc.
 - Other hosts' FTP server will simply log you directly into the proper upload space.
- Your needs:
 - If you want your shop to be the main website for your domain name (i.e., <http://www.myprestashop.com>), upload PrestaShop at the root folder of the upload space (which may depend on the host).
 - If you want your shop to be in a sub-folder of your domain name (<http://www.mywebsite.com/shop>), you must first create said folder through FileZilla (right-click and choose "Create directory"), then upload PrestaShop in that folder.
 - If you want your shop to be in a sub-domain of your domain name (<http://shop.mywebsite.com>), you must first create said sub-domain. This depends on your host: you might be able to do it simply by adding a new folder with your FTP client, or you might have to create the sub-domain through your host's administration panel. Read your host's support documentation first. Once created, browse to the sub-domain's folder, and upload PrestaShop there.

On FileZilla's left side, you should now have the local folder where you keep the PrestaShop files from the Zip archive, and on the right side, the destination location. If you haven't done it yet, uploading is simple: select all files and folders from the local folder (use Ctrl-A), and either drag & drop them to the remote folder, or right-click on the selection and choose "Upload" in the context menu.



Uploading can take several minutes, as PrestaShop uses more than 7500 files and almost 1000 folders. After a while, all of PrestaShop's files and folders should be online. Great!


Creating a database for your shop

Before you can actually install PrestaShop, you need to make sure your MySQL server has a database ready for PrestaShop's data. If not, you must create one.

Creating a database can be done using any database administration tool. We will be using the free phpMyAdmin tool (<http://www.phpmyadmin.net/>), which should come pre-installed on most web hosting.

Some hosts prefer to have customers use a graphic control panel, such as cPanel, Plesk or a custom-made one. Make sure you read your host's documentation about handling MySQL databases, and create a database for your shop by following their specific explanations.

Connect to phpMyAdmin using your account credentials, which your host provided you with. It should be accessible through a standard URL, tied to your domain name, or host's domain name.



In the left column, you can see the databases currently available on your MySQL server. Some of them should be left alone, because they are either used by phpMyAdmin or by the host: `phpmyadmin`, `mysql`, `information_schema`, `performance_schema` and others. Read your host's documentation to know if one of these can be used as a default database.

Either way, you can create a brand new database by going in the "Database" tab and using the central form named "Create new database". Simply enter a unique name, and click "Create". The name of the database will be added to the list on the left. You can now use it to store PrestaShop's data.

Launching the auto-installer

Now comes the part where it all comes together: installing PrestaShop.

The installation process is quite easy, as it is streamlined by PrestaShop's auto-installer. You should be able to browse through it in handful of minutes. Do read each page thoroughly so as to not miss any information.

To launch the installer, simply browse to PrestaShop's location on your web server: the script will automatically detect that PrestaShop is not yet installed, and will take you to the auto-installer. You can also directly type the address of the `/install` folder: `http://your_server/prestashop_folder/install`.

From there on, you just have to read and click.

There are 6 steps. At the top of the page, the installation assistant gives you a visualization of where you are in the process: the gray faces turn into smiling faces after each step is completed.



The installer changed between version 1.5.3 and 1.5.4 of PrestaShop, as one step was added: the welcome page was split into two pages: one to choose the language, and one to agree to the license.

Step 1: Welcome page

This page is a quick intro into the installation process. You can choose the language in which the installer will display its instructions.

Welcome to the PrestaShop 1.5.4.0 Installer.

The installation of PrestaShop is quick and easy. In just a few moments, you will become part of a community consisting of more than 130,000 merchants. You are on the way to creating your own unique online store that you can manage easily every day.

If you need help, do not hesitate to check [our documentation](#) or to contact our support team: +1 (888) 947-6543

Continue the installation in:

-  English (English)
-  Português (Portuguese)
-  Deutsch (German)
-  Español (Spanish)
-  Français (French)
-  Italiano (Italian)
-  Polski (Polish)
-  Русский (Russian)

The language selection above only applies to the Installation Assistant. Once your store is installed, you can choose the language of your store from over 55 translations, all for free!

Next

You also get a link to the documentation site (<http://doc.prestashop.com/>), and the PrestaShop support phone number. You can learn more about our support service by going to <http://support.prestashop.com/en/>.

Select the language in which you wish the installer to be, then click the "Next" button. This will also set the default language for your PrestaShop installation – but the other languages will also be available for you to enable.

Step 2: PrestaShop's license

This second page is a simple requirement: PrestaShop is free and distributed under a certain contract. You simply cannot use this software if you disagree with the terms of the licenses, and this step requires you to explicitly acknowledge them.

Read PrestaShop's licenses:

- *Open Software License 3.0* for PrestaShop itself, which you can also read at <http://www.opensource.org/licenses/OSL-3.0>.
- *Academic Free License 3.0* for the modules and themes, which you can also read at <http://opensource.org/licenses/AFL-3.0>.

You must agree to the licenses in order to install PrestaShop.

License Agreements

To enjoy the many features that are offered by PrestaShop, please read the license terms below. PrestaShop core is licensed under OSL 3.0, while the modules and themes are licensed under AFL 3.0.

Core: Open Software License ("OSL") v. 3.0

This Open Software License (the "License") applies to any original work of authorship (the "Original Work") whose owner (the "Licensor") has placed the following licensing notice adjacent to the copyright notice for the Original Work:

Licensed under the Open Software License version 3.0

1. Grant of Copyright License. Licensor grants You a worldwide, royalty-free, non-exclusive, sublicensable license, for the duration of the copyright, to do the following:

- I agree to the above terms and conditions.
- I agree to participate in improving the solution by sending anonymous information about my configuration.

Back

Next

To access the next step, you must check the "I agree to the above terms and conditions" box, then click "Next". If you do not explicitly agree to the licenses, you cannot install PrestaShop: the "Next" button will not even be clickable.

If you want to help the development team improve PrestaShop with anonymous usage data, please check the "I agree to participate in improving the solution by sending anonymous information about my configuration" box too.

Step 3 & 4: System compatibility & system configuration

The third page makes a quick check of all the server parameters on your host. In most, you will not see it, because if nothing wrong is found, you are taken directly to the fourth page, "System configuration". If so, you can go have a look at the third page by clicking on the "System compatibility" link in the left sidebar.

If something does go wrong during the server check that happens in the third step, the installer displays the "System compatibility" page, where you can see all the checks that failed.

System compatibility

This page checks that everything is OK with your server configuration: PHP settings, permissions on files and folders, third-party tools.

We are currently checking PrestaShop compatibility with your system environment

If you have any questions, please visit our [documentation](#) and [community forum](#).

✓ **PrestaShop compatibility with your system environment has been verified!**

Refresh these settings


Back

Next


If anything goes wrong, the installer stops you here, enabling you to see the few technical details that need fixing, be it changing the PHP configuration or updating the file permissions.


We are currently checking PrestaShop compatibility with your system environment

If you have any questions, please visit our [documentation](#) and [community forum](#).


 **Oops! Please correct the item(s) below, and then click "Refresh information" to test the compatibility of your new system.**

PHP parameters:

GD Library is not installed 

MySQL support is not activated 

PHP parameters:

PDO MySQL extension is not loaded 

[Refresh these settings](#)

[Back](#)

[Next](#)

Since version 1.5.4, the installer only displays the settings that are problematic. If all settings are correct, you will not see any issue, even when explicitly going to the "System Compatibility"

Here is a list of the checks that are performed during this third step:

Check	How/where to fix it?
Is PHP 5.1.2 or later installed?	Web server
Can PrestaShop upload files?	php.ini (file_uploads)
Can PrestaShop create new files and folders?	File browser / FTP client / command line
Is the GD Library installed?	php.ini (extension=php_gd2.so)
Is MySQL support is on?	php.ini (extension=php_pdo_mysql.so)
Recursive write permission on <code>~/config/</code>	File browser / FTP client / command line
Recursive write permission on <code>~/cache/</code>	File browser / FTP client / command line
Recursive write permission on <code>~/log/</code>	File browser / FTP client / command line
Recursive write permission on <code>~/img/</code>	File browser / FTP client / command line
Recursive write permission on <code>~/mails/</code>	File browser / FTP client / command line
Recursive write permission on <code>~/modules/</code>	File browser / FTP client / command line
Recursive write permission on <code>~/override/</code>	File browser / FTP client / command line
Recursive write permission on <code>~/themes/default/lang/</code>	File browser / FTP client / command line

Recursive write permission on <code>~/themes/default/pdf/lang/</code>	File browser / FTP client / command line
Recursive write permission on <code>~/themes/default/cache/</code>	File browser / FTP client / command line
Recursive write permission on <code>~/translations/</code>	File browser / FTP client / command line
Recursive write permission on <code>~/upload/</code>	File browser / FTP client / command line
Recursive write permission on <code>~/download/</code>	File browser / FTP client / command line
Recursive write permission on <code>~/sitemap.xml</code>	File browser / FTP client / command line
Can PrestaShop open external URLs?	php.ini (<code>allow_url_fopen</code>)
Is PHP's "register global" option off?	php.ini (<code>register_globals</code>)
Is GZIP compression activated?	.htaccess
Is the Mcrypt extension available?	php.ini (see http://php.net/manual/en/mcrypt.setup.php)
Is PHP's "magic quotes" option deactivated?	php.ini (<code>magic_quotes_gpc</code>)
Is the Dom extension loaded?	<code>--enable-dom</code> compile time option.
Is the PDO MySQL extension loaded?	php.ini (<code>extension=php_pdo_mysql.so</code>)

While changing the PHP configuration can only be done on a case-by-case basis depending on your level of access to your server, and therefore can only be explained in full details, updating the file permissions is easier to explain. Permissions are the way a filesystem grants access rights to specific users or user groups, controlling their ability to view or make changes to files and folders. The installer needs to make several changes to the files that you uploaded, and if the filesystem does not allow for these changes through proper permissions, then the installer cannot complete its process.

Hence, if the installer shows that some files or folders do not have proper permission, you have to change these manually. This will require you to access your files on your web server, and therefore use your FTP client (such as FileZilla) or the command line.

Log-in to your server account using your FTP client, browse to PrestaShop's folder, and find the folders that are marked by the installer as in need of a permission change.

CHMOD

Changing file/folder permission on a Unix/Linux system is called a "CHMOD", after the command of the same name (see: <http://en.wikipedia.org/wiki/Chmod> – you can find an explanation of file permissions here: <http://www.elated.com/articles/understanding-permissions/>).


Giving files or folders a "write permission" is called "doing a CHMOD 755" or "a CHMOD 775", depending on the host.

Some hosts might require you to use CHMOD 777, although it is not recommended for anything more than a one-time need.

If you have to use CHMOD 777 in order to install PrestaShop, make sure to switch to a safer setting (for instance, 775 for folders and 664 for files) once you are done installing.

Read your host's documentation carefully.

Thanks to FileZilla (and most FTP clients), you do not have to use any Unix command. Most FTP clients make it possible to change permissions easily and graphically: once you have found a file or folder that needs such a change, right-click on it, and in the context menu choose "File permissions...". It will open a small window.



Depending on your server configuration (which you don't always have a hand at), you will need to check both the "Read" and "Execute" columns of boxes, and at least the "Owner" and "Group" rows for the "Write" column. Some hosts might require you to have the public "Write" box checked, but be careful with that: it is rarely a good thing to have anyone on your server be able to edit the content of your PrestaShop installation.

Some folders might need to have all their files and sub-folders change permissions too. In that case, check the "Recurse into subdirectories" box.

While changing permissions in your FTP client, you should regularly check that you have made the correct changes by running the installer's compatibility checks again: click the installer's "Refresh these settings" button as often as necessary.

Once all indicators are green, you can click "Next". If you cannot have them all green, at least make sure the installer displays the "Your configuration is valid, click next to continue!" message at the top of the page.

System configuration

This page contains a form that enables you to tell PrestaShop where the database server is, and which database it should use, along with a few other details. All this information should have been provided to you by your web host.

Configure your database by filling out the following fields:

To use PrestaShop, you must **create a database** to collect all of your store's data-related activities. Please complete the fields below in order for PrestaShop to connect to your database.

Database server address:

The default port is 3306. To use a different port, add the port number at the end of your server's address i.e. ":4242".

Database name:

Database login:

Database password:

Database Engine:

Tables prefix:

Test your database connection now!

Back

Next

Fill all the fields with the database connection information provided by your web-host:

- **Database server address.** The hostname of your MySQL server. It can be tied to your domain name (i.e. http://sql.mydomainname.com), tied to your web host (i.e. http://mysql2.alwaysdata.com), or simply be an IP address (i.e. 46.105.78.185).
- **Database name.** The name of the database where you want PrestaShop to store its data. This is either an existing database on your MySQL server, or the one that you created using phpMyAdmin (or any other SQL tool) in the "Creating a database for your shop" section of this guide.
- **Database login.** The name of the MySQL user that has access to your database.
- **Database password.** The password of the MySQL user.
- **Database engine.** The database engine is the core of your database server. InnoDB is the default one and you should use it, but the more technical among you might want to choose another engine. Generally, there is no need to change the default setting.
- **Tables prefix.** The prefix for your database tables. "ps_" is the default, resulting in the PrestaShop SQL tables having names such as "ps_cart" or "ps_wishlist"; but if you need to install more than one instance of PrestaShop on the same database, then you must use a different prefix for each installation. However, we do recommend that you create one database per installation of PrestaShop, if your web host allows it. Better yet: make one installation of PrestaShop, and enable the multistore feature in order to manage many stores from the same PrestaShop back-end.
- **Drop existing tables.** This is only available in "Dev mode". When re-installing PrestaShop, you can choose to drop the existing PrestaShop database table in order to start on a clean slate.

Click the "Test your database connection now!" button in order to check that you did use the correct server information.

Click "Next" to continue.

Step 5: Shop configuration

This is where you can start customizing your shop: give it a name and a logo, indicate its main activity, and indicate the personal information for the shop owner (which has legal binding in most countries)...

Do not use a colon in your store's name, as it might prevent some feature from working (for instance, e-mail sending might fail).

You can replace the colon with a dash if you need to have two sections in the title. For instance, use "MyStore – The best place for items to buy" instead of "MyStore: The best place for items to buy".


Information about your Store

Shop name:

Main activity: *Help us learn more about your store so we can offer you optimal guidance and the best features for your business!*

Default country:

Shop timezone:

Shop logo:  *Optional - You can add you logo at a later time.*

Your Account

First name:


Last name:

E-mail address: *This email address will be your username to access your store's back office.*

Shop password: *Must be alphanumeric string with at least 8 characters*

Re-type to confirm:

Sign-up to the newsletter *PrestaShop can provide you with guidance on a regular basis by sending you tips on how to optimize the management of your store which will help you grow your business. If you do not wish to receive these tips, please uncheck this box.*

Until version 1.5.3, you could choose to install a handful of demo products, or start with a clean slate. 


Since version 1.5.4, these demo products are installed by default. This is great if you are discovering PrestaShop, as it helps you learn how to use the various features... and it can of course serve as a good basis for your own shop, after removing the demo products and categories!

Concerning the logo, you should note that it will appear:

- On all of the pages of your store (depending on your theme).
- In your back-office.
- In all of the e-mails sent to your customers.
- In all of your contractual documents (bills, return authorizations, etc.).

Therefore, do not keep the default PrestaShop logo, for obvious reasons.

Click "Next", and the installer will start filling the database with tables and data, and updating the configuration files. This might take a few minutes in a slow server.



The installer does the following:

- Create the `settings.inc.php` file, and fill it with your settings.
- Create the database tables.
- Create the default shop with its default languages.
- Populate the database tables.
- Configure the shop's information.
- Install the default modules.
- Install the demonstration data (products, categories, user, CMS pages, etc.).
- Install the theme.

Once it is done, your shop is installed and ready to be configured!

Completing the installation

As you can read right on the final page of the installation process, there are a couple of last actions to perform before you can leave the installer.

Your installation is finished!


You have just finished installing your shop. Thank you for using PrestaShop!


Please remember your login information:

E-mail: me@myownshop.com

Password: ***** (Display)

 [Print my login information](#)


 **WARNING:** For security purposes, you must delete the "install" folder.



Back Office

Manage your store using your Back Office. Manage your orders and customers, add modules, change themes, etc.

[Manage your store](#)



Front Office

Discover your store as your future customers will see it!

[Discover your store](#)

An easy way to improve your installation's security is to delete some key files and folders. This is done using your FTP client, directly on the server.

Items to delete:

- The "install" folder (imperative).
- The "docs" folder (optional).
- The "README.md" file (optional).

Until version 1.5.3, you had to also rename the "admin" folder and give it a unique name, so that no attacker could access your administration area. For instance, "admin42", "secretFolder" or "xyz123" – anything unique to you.

Since version 1.5.4, PrestaShop takes care of renaming the administration folder for you: it becomes the word "admin" followed by 4 random digits, i.e "admin8814". The renaming happens as soon as you reach the "admin" folder for the first time: PrestaShop renames it, then correctly accesses the renamed folder.

Click on the "Manage your store" button in order to be taken to your administration area.

Write down the new name for your "admin" folder, because from now on you will access your administration pages using this address.

Finally, in order to close all potentially malicious doors, use your FTP client to update the files and folders permissions to 664, or 666 if your host requires it. If it turns out low access rights prevent some modules to work, you should set permissions back to 755.

Congratulations! Installation is now complete.

Log in to the PrestaShop back-office by going to your newly-renamed "admin" folder, and start filling your catalog with products, adding carriers and shipping costs, adding manufacturers and suppliers, changing the theme, and generally configuring the many settings to suit your tastes and needs. See the user guide's "First steps with PrestaShop 1.5" chapter for more information: <http://doc.prestashop.com/display/PS15/First+steps+with+PrestaShop+1.5>.

You should regularly back up your database and files, ideally on more than one computer, in case of problems related to hardware or security.