

Chapter 8 - Advanced Use

Table of contents

- [Advanced Use](#)
 - [Rendering Options](#)
 - [Rendering Filters](#)
 - [Sorting Filters](#)
 - [Filters to limit rendering](#)

Advanced Use

Rendering Options

Include all fields from the "products" resource.

URL: (Store URL)/api/products/?display=full

PHP:

```
$opt = array( 'resource' => 'products',  
             'display'  => 'full' );
```

Include only the ID of all carriers "carriers"

URL: (Store URL)/api/products/

PHP :

```
$opt = array( 'resource' => 'products' );
```

Only include the "name" and "value" fields from the "configurations" resource.

URL: (Store URL)/api/configurations/?display=[name,value]

PHP:

```
$opt = array( 'resource' => 'configurations',  
             'display'  => '[name,value]');
```

Rendering Filters

Only include the first and last names of customers "customers" whose ids are between 1 and 5

URL: (Store URL)/api/customers/?display=[firstname,lastname]&filter[id]=[1|5]

PHP:

```
$opt = array( 'resource'  => 'customers',  
             'display'   => '[firstname,lastname]',  
             'filter[id]' => '[1|5]' );
```

Only include the first and last names of customers "customers" whose ids are between 1 and 10

URL: (Store URL)/api/customers/?display=[lastname]&filter[id]=[1,10]

PHP:

```
$opt = array( 'resource' =>'customers',
             'display'  => '[lastname]',
             'filter[id]' => '[1,10]');
```

Only include the birthday of clients whose name is "John" and whose last name is "Doe"

URL: (Store URL)/api/customers/?display=[birthday]&filter[firstname]=[John]&filter[lastname]=[DOE]

PHP:

```
$opt = array( 'resource'      =>'customers',
             'display'        => '[birthday]',
             'filter[firstname]' => '[John]',
             'filter[lastname]' => '[DOE]' );
```

Only include the names of manufacturers "manufacturers" whose name begins with "Appl"

URL: (Store URL)/api/manufacturers/?display=[name]&filter[name]=[appl]%

PHP:

```
$opt = array( 'resource'      => 'manufacturers',
             'display'        => '[name]',
             'filter[name]'   => '[appl]%' );
```

Sorting Filters

Filter the customers "customers" in alphabetical order according to last name

URL: Store URL/api/customers?display=full&sort=[lastname_ASC]

PHP:

```
$opt = array( 'resource' => 'customers',
             'display'  => 'full',
             'sort'     => '[lastname_ASC]' );
```

Filters to limit rendering

Only include the first 5 states "states"

URL: (Store URL)/api/states/?display=full&limit=5

PHP:

```
$opt = array( 'resource' => 'states',
             'display'  => 'full',
             'limit'    => '5' );
```

Only include the first 5 elements starting from the 10th element from the states resource "states"

URL: (Store URL)/api/states/?display=full&limit=9,5

PHP:

```
$opt = array( 'resource' => 'states',  
            'display'  => 'full',  
            'limit'    => '9,5' );
```